

The following ten abstracts were chosen for their outstanding quality and will be discussed in a special area in the poster hall during the Moderated Poster Session chaired by the two chairpersons mentioned below between 10:00 and 11:00.

## Outcome of catheter ablation

**Chairpersons: E. Aliot (Vandoeuvre-les-Nancy, FR); O.J. Ohm (Bergen, NO)**

**Three dimensional mapping for ablation of right ventricular outflow tract tachycardias: Immediate and long-term outcomes.** 347

A. Abdelwahab, M. Basta, R. Parkash, M. Gardner, J. Sapp (Halifax - CA)

**Late ventricular potentials as ventricular tachycardia substrate: characterisation and effect of catheter ablation.** 348

I. Nault, P. Maury, F. Sacher, A. Deplagne, M. Hocini, N. Lellouche, M. Haissaguerre, P. Jais (Bordeaux Pessac, Toulouse - FR)

**Remote magnetic navigation and catheter ablation in the right ventricular outflow tract -a simplified approach.** 349

M. Konstantinidou, E. Wissner, B. Koektuerk, B. Schmidt, T. Zerm, F. Ouyang, K.H. Kuck, J.K.R. Chun (Hamburg - DE)

**Ablation of persistent atrial fibrillation: does sinus rhythm beget sinus rhythm?** 350

C. Herrera Siklody, K. Letsas, R. Weber, J. Schiebeling-Roemer, J. Stockinger, K. Astheimer, D. Kalusche, T. Arentz (Bad Krozingen - DE)

**Reduction of cardiovascular events associated with atrial fibrillation after hybrid therapy with antiarrhythmic drugs and radiofrequency catheter ablation in patients with hypertrophic cardiomyopathy.** 351

K. Nakamura, S. Naito, K. Kumagai, K. Goto, J. Iwamoto, M. Ueda, S. Oshima, I. Komuro (Maebashi, Chiba - JP)

**Alterations in atrial excitation patterns following circumferential pulmonary veins isolation.** 352

V. Vassilikos, G. Dakos, I. Chouvarda, N. Maglaveras, S. Paraskevidis, S. Mochlas, I. Styliadis, G. Parcharidis (Thessaloniki - GR)

**Ablation of supraventricular tachycardias in the elderly population.** 353

P. Insulander, H. Bastani, F. Braunschweig, G. Kenneback, J. Schwieler, F. Tabrizi, M. Jensen-Urstad (Stockholm - SE)

**An early recurrence of atrial fibrillation is a predictive value of long-term outcome after pulmonary vein isolation?** 354

K. Hanazawa, K. Kaitani, K. Yoshitani, M. Miyake, M. Motooka, T. Izumi, C. Izumi, Y. Nakagawa (Nara - JP)

**Mechanistic insights, results of catheter ablation, and risk factors for atrial tachycardia after ablation of AF: ostial PV ablation, circumferential PV ablation and GP - ablation.** 355

A. Romanov, E. Pokushalov, P. Shugaev, S. Artemenko, A. Turov (Novosibirsk - RU)

**Impact of amiodarone preparation on acute termination of long-lasting persistent atrial fibrillation during radiofrequency ablation.** 356

J.P. Albenque, A. Bortone, M. El Bayomy, N. Combes, P. Hausman, S. Combes, J.P. Donzeau, S. Boveda (Toulouse, Nimes - FR)

Posters must be set up between 08:00 and 08:30, removed between 12:30 and 13:00 and be on display between 08:30 and 12:30. The presenter should be present throughout the coffee break (10:00 - 11:00) in order to discuss the poster.

## **Ablation of SVT and VT.**

- |   |     |
|---|-----|
| <p>Correlation between characteristics of late post-operative atrial tachyarrhythmias and outcome of ablative therapy.<br/>N.M.S. De Groot, J.Z. Atary, N.A. Blom, J.P. Van Kuijk, M.J. Schalij (Leiden - NL)</p>   | 357 |
| <p>Safety and efficacy of paediatric outpatient radiofrequency catheter ablations.<br/>M. Tomaske, R. Candinas, M. Weiss, U. Bauersfeld (Zurich - CH)</p>   | 358 |
| <p>Clinical profile, electrophysiological characteristics and outcome after radiofrequency catheter ablation of atypical atrial flutter.<br/>A.-A. Fassa, G. Ashrafpoor, H. Sunthorn, H. Burri, P. Gentil-Baron, D. Shah (Geneva - CH)</p>  | 359 |
| <p>Beneficial effects of successful ablation on LV and RV function in patients with frequent PVC and preserved ejection fraction.<br/>A.P. Wijnmaalen, V. Delgado, M.J. Schalij, E.R. Holman, J.J. Bax, K. Zeppenfeld (Leiden - NL)</p>   | 360 |
| <p>Radiofrequency ablation guided by mechanical termination of idiopathic ventricular arrhythmias originating in the right ventricular outflow tract.<br/>M. Kuhne, H. Oral, F. Morady, F. Bogun (Basel - CH, Ann Arbor - US)</p>   | 361 |
| <p>Long term follow-up after catheter ablation for AVNRT: a comparison of cryothermal and radiofrequency energy in a large series of patients.<br/>B. Schwagten, T. Szili-Torok, P. Knops, G. Kimman, A. Thornton, L. Jordaens (Rotterdam - NL)</p>                                     | 362 |
| <p>Endocardial and epicardial substrate of ventricular tachycardia in patients with cardiomyopathy.<br/>K. Satomi, T. Roland, S. Kamakura, K. Kuck, F. Ouyang (Suita, Osaka - JP, Hamburg - DE)</p>   | 363 |
| <p>Abnormal low voltage areas in patients with right ventricle outflow tract arrhythmia.<br/>S. Nowak, A.M. Wnuk-Wojnar, A. Hoffmann, C. Czerwinski, K. Szydlo, A. Rybicka-Musialik, I. Wozniak-Skowerska, M. Trusz-Gluza (Katowice - PL)</p>   | 364 |
| <p>Catheter ablation cures ventricular ectopy induced cardiomyopathy: evidence from cardiopulmonary exercise test results.<br/>T. Krynski, S.M. Stec (Warsaw - PL)</p>  | 365 |
| <p>New criteria for successful ablation of outflow tract ventricular arrhythmias with epicardial exit site.<br/>H. Hachiya, K. Hirao, T. Sasaki, K. Higuchi, M. Isobe (Tokyo - JP)</p>  | 366 |
| <p>Prospective analysis of the A(H)-A(Md) interval as a predictor of AV-block during radiofrequency ablation of the slow pathway.<br/>K. Etsadashvili, F. Hintringer, X. Stuehlinger, T. Berger, W. Dichtl, FX. Roithinger, O. Pachinger, M. Stuehlinger (Innsbruck, Moedling - AT)</p> | 367 |
| <p>Usefulness of programmed electrical stimulation and effectiveness of catheter ablation in patients with ICD.<br/>K. Tanno, T. Onuki, Y. Minoura, M. Kawamura, T. Asano, Y. Kobayashi (Tokyo - JP)</p>  | 368 |
| <p>Typical atrial flutter. Long term follow-up in relation to the treatment received.<br/>A. Bonet, J. Merce Klein, R. De Castro, P. Valdovinos, I. Colomer, M.I. Garcia, I. Serrano, A. Bardaji (Tarragona - ES)</p>   | 369 |

Ventricular tachycardia originating from the site of implanted pacing lead: Indication for lead extraction or catheter ablation?	370
P. Peichl, R. Cihak, R. Polasek, P. Kucera, J. Bytesnik, J. Kautzner (Prague, Liberec - CZ)	
Antral PV-Isolation using the new Bard MESH-Ablator Catheter -initial experience-	371
S. Schlueter, E.V. Vester, O. Grebe (Dusseldorf - DE)	
Variations in duration and composition of the excitable gap around the tricuspid annulus during typical atrial flutter.	372
P. Maury, J. Fourcade, A. Duparc, A. Hebrard, P. Mondoly, A. Rollin, P. Rumeau, M. Delay (Toulouse - FR)	
Localisation of accessory pathways and mapping of their impact on local and global ventricular function according to pathway location: assessment by deformation imaging.	373
B.W.L. De Boeck, A.J. Teske, F.A.A. Mohamed Hoesein, V.J.H. Van Driel, P. Loh, M.J.M. Cramer, F.W. Prinzen, P.A.F. Doevendans (Utrecht, Maastricht - NL)	
Catheter ablation of chronic atrial fibrillation: ostial PV ablation, circumferential PV ablation and GP - ablation. Which of the methods to choose?	374
E. Pokushalov, A. Romanov, A. Turov, P. Shugaev, S. Artemenko, N. Shirokova (Novosibirsk - RU)	
The time course of inflammatory markers after ablation of atrial fibrillation and their relation to energy delivery, outcome and structural changes.	375
B. Richter, M. Gwechenberger, A. Socas, G. Zorn, S. Albinni, J. Wojta, T. Binder, H. Goessinger (Vienna - AT)	
Catheter ablation of atrial fibrillation: radiofrequency catheter ablation for redo procedures after circumferential pulmonary vein isolation with the cryoballoon technique.	376
K. Kettering, H. Mollnau, F. Gramley, C. Weiss (Mainz - DE)	
Impact of pulmonary vein isolation on dynamics of left atrial size in patients with atrial fibrillation.	377
A. Berkowitsch, T. Neumann, M. Kuniss, S. Zaltsberg, M. Wojcik, H.F. Pitschner (Bad Nauheim - DE)	
The effect of pulmonary vein isolation on fractionation of atrial electrograms.	378
D. Wichterle, M. Peca, V. Bulkova, R. Cihak, P. Peichl, J. Kautzner (Prague - CZ)	
Paroxysmal atrial fibrillation originating from atrial septum: significance of biatrial mapping and ablation.	379
A. Suzuki, Y. Yamauchi, H. Okada, T. Obayashi, Y. Sekiguchi, K. Aonuma, M. Isobe (Tokyo, Ibaraki - JP)	
The effect of ganglionated plexi ablation on atrial fibrillation triggers: long-term clinical outcomes.	380
E. Pokushalov, A. Romanov, A. Turov, P. Shugaev, S. Artemenko, N. Shirokova (Novosibirsk - RU)	
Jatrogenic (post PV isolation) left atrial tachycardia ablation: role of adjunctive linear lesions set at the roof and mitral isthmus for secondary prevention of regular jatrogenic atrial arrhythmias.	381
F. Zoppo, E. Bertaglia, F. Zerbo, G. Brandolino, E. Bacchiega (Mirano - IT)	
Differences in the temporal pattern of early AF recurrences after Cryo-Balloon versus RF ablation: different healing processes involved in the pathophysiology of AF during the "blanking period"?	382
L. Lickfett, B. Bellmann, M. Linhart, J.W. Schrickel, T. Lewalter, J.O. Schwab, G. Nickenig, E.L. Mittmann-Braun (Bonn - DE)	

# Monday 22 June 2009 - Morning Posters

08:30 - 12:30	POSTER SESSION I	POSTER AREA
Atrio-ventricular node ablation can be safely performed in patients after permanent His bundle pacing electrode implantation. P. Dabrowski, E. Kozluk, P. Stefanczyk, A. Kleinrok, G. Opolski (Zamosc, Warsaw - PL)		383
Segmental pulmonary veins isolation guided by electrophysiological criteria - anatomical implications. M. Andronache, A. Abdelaal, I. Magnin-Poull, J. Cedano, L. Groben, D. Mandry, E. Aliot, C. De Chillou (Vandoeuvre les Nancy - FR)		384
Longterm results of multi-electrode pulmonary vein isolation with bipolar/unipolar RF energy for paroxysmal AF. A.A.W. Mulder, M.C.E.F. Wijffels, E.F.D. Wever, L.V.A. Boersma (Nieuwegein - NL)		385
Assessment of left atrial geometry and function prior to and after catheter ablation of atrial fibrillation. B. Manfai, R. Faludi, E. Fodi, P. Rausch, T. Simor (Pecs - HU)		386
Incidence of synchronised paroxysmal supraventricular tachycardia in patients candidate to pulmonary veins ablation for atrial fibrillation: efficacy of isolated triggering arrhythmia ablation. L. Sciarra, M. Rebecchi, E. De Ruvo, L. De Luca, LM. Zuccaro, A. Fagagnini, P. Delise, L. Calo (Rome, Conegliano Veneto - IT)		387
Atrial tachycardias occurring after pulmonary vein isolation: comparison of mechanisms after cryoballoon and circumferential radiofrequency ablation. E. Mikhaylov, Y. Van Belle, P. Janse, D. Lebedev, A. Kanidieva, L. Jordaens, T. Szili-Torok (Saint-Petersburg - RU, Rotterdam - NL)		388
Safety and efficacy in females undergoing pulmonary vein isolation. D. Patel, M. Shaheen, K. Sonne, P. Mohanty, L. Di-Biase, L. Popova, D. Burkhardt, A. Natale (Bad Berka - DE, Austin - US)		389
Long term follow-up after radiofrequency catheter ablation of an accessory pathway. C.J. Mccann, B. Gal, P. Goethals, P. Peychev, P. Geelen (Aalst - BE)		390
Disappearance of sustained slow pathway conduction (SSPC) is a better predictor for long term success after radiofrequency ablation for typical AVNRT. R.-G. Vatasescu, C. Iorgulescu, I. Ieremciuc, R. Alexandru, M. Dorobantu (Bucharest - RO)		391
Ablation of supraventricular tachycardias, different success rates in women and men. P. Insulander, H. Bastani, F. Braunschweig, M. Jensen-Urstad, J. Schwieler, F. Tabrizi, G. Kenneback (Stockholm - SE)		392
Cavotricuspid isthmus ablation using the maximum voltage guided technique: acute success and mid-term follow-up results. C. Foldesi, A. Kardos, A. Mihalcz, P. Abraham, Z. Som, J. Borbola, J. Vanyi, T. Szili-Torok (Budapest - HU)		393
Simple assessment of clockwise cavo-tricuspid isthmus block by pacing from the septal border of the ablation line. A. Pastor Fuentes, A. Nunez, N. Tur, B. Berzal, F. G Cosio (Getafe (Madrid) - ES)		394
Symptomatic new arrhythmias during long-term follow-up after successful radiofrequency catheter-ablation of overt accessory pathway. N. Mujovic, M. Grujic, S. Mrdja, A. Kocijancic, T. Potpara, M. Polovina, B. Vujisic-Tesic, M. Petrovic (Belgrade - RS)		395
New criteria for the confirmation of the complete isthmus block of typical atrial flutter.		396

T. Hayashi, K. Hirao, H. Hachiya, K. Higuchi, T. Sasaki, T. Furukawa, M. Kawabata, M. Isobe (Tokyo - JP)	
<b>Cryoablation of the slow pathway in patients with AVNRT: the role of patient age.</b>	397
C. Lavalle, S. Ficili, M. Galeazzi, M. Russo, A. Pandozi, C. Pandozi, F. Venditti, M. Santini (Rome - IT)	
<b>Implantable cardioverter-defibrillator shocks are not a surrogate for sudden cardiac death in survivors of malignant arrhythmia.</b>	398
D. Wichterle, K. Pavlikova, M. Psenicka, Z. Anger, A. Linhart (Prague - CZ)	
<b>Safety and efficiency of Amiodaron treatment for atrial and ventricular arrhythmias during long-term Follow-Up.</b>	399
K. Sonne, A. Narten, A. Gamelin, J. Mittag, D. Patel, S. Raffa, J.C. Geller (Bad Berka, Magdeburg - DE, Austin - US)	
<b>Radiofrequency ablation of atrial fibrillation: impact on endothelial progenitor cells and other haemopoietic cell populations.</b>	400
D. Mocini, M. Russo, F. Venditti, S. Ficili, M. Galeazzi, C. Lavalle, C. Pandozi, M. Santini (Rome - IT)	
<b>Rate control assessment during moderate exercise. does the test matter?</b>	401
H.F. Groenveld, M. Rienstra, M.P. Van Den Berg, H.L. Hillege, D.J. Van Veldhuisen, I.C. Van Gelder (Groningen - NL)	
<b>Outpatient electrical cardioversion of atrial fibrillation: feasibility and safety in a day-hospital setting and evaluation of shock-related arrhythmias.</b>	402
G. Morani, A. Manica, C. Angheben, M.A. Ciccoira, L. Pozzani, L. Tomasi, G. Zanotto, C. Vassanelli (Verona - IT)	
<b>Impact of rhythm control outcome and major adverse events on quality of life in patients treated with episodic versus continuous amiodarone treatment.</b>	403
S. Ahmed, A.V. Ranchor, M. Rienstra, A.C.P. Wiesfeld, D.J. Van Veldhuisen, I.C. Van Gelder (Groningen - NL)	
<b>Ablation of atrial fibrillation.</b>	
<b>Diagnostic value of the electrophysiological study in patients with non-documented palpitations.</b>	404
J. Marti Almor, V. Bazan, M. Matiello, D. Cian, X. Oliva, C. Altaba, M.A. Guijo, J. Bruguera (Barcelona - ES)	
<b>Objective improvement in patients with sinus rhythm after catheter ablation of longstanding persistent atrial fibrillation.</b>	405
M. Fiala, M. Sknouril, M. Dorda, J. Chovancik, R. Nevrilova, O. Jiravsky, B. Jiravska-Godula, M. Branny (Trinec - CZ)	
<b>Validation of PV isolation of multi-electrode duty cycled radiofrequency ablation in patients with paroxysmal and persistent atrial fibrillation.</b>	406
A. Elvan, W.P. Beukema, J.J.J. Smit, P.P.H.M. Delnoy, A.R. Ramdat Misier (Zwolle - NL)	
<b>Pulmonary vein isolation for paroxysmal atrial fibrillation: comparison of a new circular ablation catheter with conventional approach.</b>	407
J. Tuan, I. Chung, M. Jeilan, S. Kundu, F. Osman, P. Stafford, G.A. Ng (Leicester - GB)	
<b>Dynamic-CT integration with CARTO mapping system for atrial fibrillation ablation: validation of the technique in humans.</b>	408

P. Vergara, P. Mazzone, G. Paglino, M. Saviano, S. Crisa, G. Maida, G. Vicedomini, C. Pappone (Milan - IT) <b>Reversibility in peri-mitral and peri-tricuspid conduction time following restoration of sinus rhythm by ablation.</b>	409
S. Miyazaki, M. Wright, M. Hocini, P. Jais, M. Haissaguerre (Bordeaux-Pessac - FR) <b>Sites of ATP-induced electrical Re-Conduction after wide circumferential Pulmonary Vein Isolation guided by CARTO-merge.</b>	410
K. Yoshitani, K. Kaitani, K. Hanazawa, Y. Nakagawa (Tenri City - JP) <b>Preferential conduction patterns in the coronary sinus during atrial fibrillation change during ablation procedure: implications for identification of right atrial sources.</b>	411
P.G. Platonov, P. Sanders, Sashidar, A. Brooks, F. Holmqvist, J. Carlson (Lund - SE, Adelaide - AU) <b>Duty-cycled, unipolar-bipolar RF ablation via multi-electrode catheter in patients with paroxysmal atrial fibrillation.</b>	412
S. Yuan, O. Kongstad (Lund - SE) <b>Conduction properties of the left atrial roof in patients with atrial fibrillation.</b>	413
M. Yokokawa, H. Tada, S. Naito, S. Oshima, K. Taniguchi (Maebashi, Tsukuba - JP) <b>Early and late recurrences after ganglionated plexi ablation for atrial fibrillation: prognostic value and the effect of reablation.</b>	414
A. Romanov, E. Pokushalov, P. Shugaev, S. Artemenko, A. Turov (Novosibirsk - RU) <b>Pulmonary vein isolation in patients with paroxysmal and persistent atrial fibrillation: more relapses in patients after high energy application.</b>	415
F.M. Gindele, M. Wiedemann, C. Ewertsen, S. Heiderfazel, D. Andresen (Berlin - DE) <b>Catheter ablation of atrial fibrillation associated with congestive heart failure prompts a reverse effect on the left ventricular diastolic function.</b>	416
K. Kaitani, K. Hanazawa, K. Yoshitani, M. Miyake, M. Motooka, T. Izumi, C. Izumi, Y. Nakagawa (Tenri - JP) <b>Open tip irrigated catheter for typical atrial flutter ablation: can we minimise the cooling flow?</b>	417
H. Sunthorn, H.B. Burri, P.G. Gentil, D.S. Shah (Geneva - CH) <b>Hybrid therapy with catheter ablation and antiarrhythmic drugs for chronic atrial fibrillation.</b>	418
S. Sugiura, E. Fujii, M. Senga, S. Yamazato, M. Nakamura, M. Ito (Tsu - JP) <b>Long-term improvement in multidirectional left ventricular myocardial strain after successful catheter ablation for atrial fibrillation.</b>	419
D.W. Den Uijl, V. Delgado, L.F. Tops, S.A.I.P. Trines, K. Zeppenfeld, E.E. Van Der Wall, M.J. Schalij, J.J. Bax (Leiden - NL) <b>Comparison of left atrial volumes measured from 3-dimensional CT/MR images before and after catheter ablation in patients with atrial fibrillation.</b>	420
L. Ren, O. Kongstad, S. Yuan (Lund - SE) <b>Acute and long term results of pulmonary veins isolation with the mesh catheter for paroxysmal atrial fibrillation ablation.</b>	421
A. Pappalardo, G.B. Forleo, A. Avella, G. Bencardino, P.G. De Girolamo, A. Dello Russo, F. Laurenzi, C. Tondo (Rome - IT)	

**08:30 - 12:30**

**POSTER SESSION I**

**POSTER AREA**

Measurement of left atrial volume in patients undergoing ablation for atrial fibrillation: comparison of angiography and electro-anatomic (CARTO) mapping with real-time 3D echocardiography.	422
H. Mueller, H. Burri, P. Gentil-Baron, R. Lerch, D. Shah (Geneva - CH)	
Ganglionated Plexi Ablation for Paroxysmal and Persistent Atrial Fibrillation: a prospective rhythm analysis with continuous ECG monitoring.	423
E. Pokushalov, A. Romanov, A. Turov, P. Shugaev, S. Artemenko, N. Shirokova (Novosibirsk - RU)	
Prospective analysis of residual areas of conduction in the pulmonary veins following circumferential ablation.	424
A.A. Pedrote Martinez, E. Arana, L. Garcia-Riesco, J.A. Urbano-Moral, M. Frutos-Lopez, J.A. Sanchez-Brotos, J. Torres-Llergo, A. Martinez-Martinez (Seville - ES)	
Improvement of segmental left ventricular dysfunction and intraventricular dyssynchrony after radiofrequency ablation in patients with chronic atrial fibrillation, using 2D speckle tracking imaging.	425
H. Matsuda, T. Harada, E. Nakano, M. Takai, S. Fujita, T. Sasaki, K. Mizuno, F. Miyake (Kawasaki - JP)	
Occurrence of late atypical atrial flutter after radiofrequency catheter ablation for atrial fibrillation.	426
A. Doshi, J. Hummel, E. Daoud, R. Augostini, R. Weiss, D. Hart, M. Houmsse, S. Kalbfleisch (Columbus - US)	
Restoration of sinus rhythm by ablation is associated with better outcome in patients with longstanding persistent atrial fibrillation.	427
M. Fiala, J. Chovancik, J. Gorzalka, V. Bulkova, D. Wojnarova, R. Neuwirth, J. Januska, M. Branny (Trinec - CZ)	
Echocardiographic evaluation of atrial contraction in patients restored to sinus rhythm following surgical ablation.	428
E. Cerrato, C. Amellone, E. Tizzani, M. Antolini, R. Massa, PG. Golzio, C. Comoglio, M. Rinaldi (Turin - IT)	
Monopolar versus bipolar radiofrequency isolation of left atrium during mitral valve surgery.	429
H.A. El-Domiaty, H.M. Kamal, A.M. Moubarak, M.M. Mansy, H. El-Kerdawy (Ismilia, Cairo - EG)	
Feasibility and outcome of epicardial surgical minimal invasive pulmonary vein isolation using high intensity focused ultrasound for lone atrial fibrillation.	430
S. Ahmed, T.J. Klinkenberg, A. Ten Hagen, A.C.P. Wiesfeld, E.S. Tan, I.C. Van Gelder (Groningen - NL)	

**Atrial fibrillation clinical aspects.**

Heart rate variability and incident atrial fibrillation: the atherosclerosis risk in communities study.	431
S. Agarwal, A. Alonso, E. Soliman, A. Chamberlain, M. Ambrose, R. Simpson, G. Heiss (Chapel Hill, Minneapolis, Winston Salem, Baltimore - US)	
Clinical features of patients with left atrial thrombus in spite of continuous anticoagulant therapy.	432
M. Senga, E. Fujii, K. Dohi, S. Sugiura, S. Yamazato, M. Nakamura, M. Ito (Tsu - JP)	

# Monday 22 June 2009 - Morning Posters

08:30 - 12:30

POSTER SESSION I

POSTER AREA

- Quality of life and socio-economic outcomes after catheter ablation for different forms of atrial fibrillation. 433  
 V. Bulkova, M. Fiala, D. Wichterle, J. Chovancik, J. Simek, S. Havranek, J. Brada, K. Ivanova (Prague, Trinec, Olomouc - CZ)
- Impact of matrix metalloproteinase-2 levels on long-term outcome following pharmacological or electrical cardioversion in patients with atrial fibrillation. 434  
 T. Kawamiya, K. Kato, T. Fujimaki, S. Tanaka, K. Yajima, T. Hibino, K. Yokoi, T. Murohara (Tajimi, Nagoya - JP)
- Resuscitation and ventricular arrhythmias - Interim analysis of complications of the German Competence Network on Atrial Fibrillation (AFNET) registry. 435  
 C. Sprenger, M. Oeff, K.G. Haeusler, U. Tebbe, G. Breithardt, T. Meinertz, U. Ravens, G. Steinbeck (Brandenburg/Havel, Berlin, Detmold, Munster, Hamburg, Dresden, Munich - DE)
- Left atrial size and shape predictors of progression of atrial fibrillation. 436  
 D.C. Cozma, S. Pescariu, L. Petrescu, C. Luca, L. Stoica, F. Golda, M. Morar, S.I. Dragulescu (Timisoara - RO)
- Effect of personality D on success of rhythm control therapy of atrial fibrillation and quality of life during amiodarone treatment. 437  
 S. Ahmed, A.V. Ranchor, M. Rienstra, A.C.P. Wiesfeld, D.J. Van Veldhuisen, I.C. Van Gelder (Groningen - NL)
- Incidence of atrial fibrillation and supraventricular tachycardias in patients with recent onset hypertension. Data from the VAMPHYRE study. 438  
 M.D. Smit, J.D. Lefrandt, I.C. Van Gelder (Groningen - NL)
- Value of the forgotten area - pulmonary vein antrum in the assessment of left atrium shape and size remodelling. 439  
 D.C. Cozma, S. Pescariu, C. Luca, L. Petrescu, S.I. Dragulescu (Timisoara - RO)
- Clinical significance of aldosterone in younger patients with lone atrial fibrillation. 440  
 K. Inoue, N. Makita, K. Matsuo, Y. Shiono, A. Matsuo, H. Fujita, M. Kitamura (Kyoto - JP)
- Transcardiac extraction of aldosterone in patients with atrial tachycardia. 441  
 K. Inoue, N. Makita, K. Matsuo, Y. Shiono, A. Matsuo, H. Fujita, M. Kitamura (Kyoto - JP)
- Left atrium enlargement = Trouble in atrial fibrillation electrical cardioversion? 442  
 R.A. Providencia, A. Botelho, N. Quintal, J. Silva, L. Seca, P.L. Gomes, A.M. Leita-Marques (Coimbra - PT)
- Value of hs-C reactive protein on the maintenance of sinusual rhythm after electrical cardioversion in patients with persistent atrial fibrillation. 443  
 O. Ozcan Celebi, A. Canbay, S. Celebi, D. Sahin, S. Aydogdu, E. Diker (Ankara - TR)
- Treatment with trimetazidine could prevent atrial fibrillation? 444  
 F.R. Bolohan, M. Leustean, V. Indries, M. Mihai, R. Alexandru, G. Cristian, D.D. Ionescu (Bucharest - RO)
- Heart rate variability early after direct current countershock of atrial fibrillation. 445  
 D. Zysko, J. Gajek, W. Kucharski, W. Mazurek (Wroclaw - PL)
- Does dominant frequency analysis differentiate a single firing focus with fibrillatory conduction as the mechanism of atrial fibrillation? 446  
 L.F. Atea, A. Arenal, T. Datino, E. Gonzalez-Torrecilla, F. Atienza, D. Calvo, J. Almendral, F. Fernandez-Aviles (Madrid - ES)

<b>08:30 - 12:30</b>	<b>POSTER SESSION I</b>	<b>POSTER AREA</b>
----------------------	-------------------------	--------------------

Short-term ECG recordings for heart rate assessment in patients with chronic atrial fibrillation.	447
M. Chudzik, I. Cygankiewicz, A. Klimczak, A. Oszczygiel, J.K. Wranicz (Lodz - PL)	
Omega-3 polyunsaturated fatty acids reduce atrial fibrillation recurrence after pulmonary vein isolation.	448
M. Shaheen, D. Patel, K. Sonne, P. Venkatraman, L. Armanijian, S.-M. Bailey, J.D. Burkhardt, A. Natale (Austin - US, Bad Berka - DE, Cleveland - US)	
Effect of nebivolol therapy on left atrial and left ventricular functional parameters in patients with severe chronic heart failure and paroxysmal atrial fibrillation.	449
L.G. Tunyan, S.V. Grigoryan (Yerevan - AM)	
Treatment strategy to convert atrial fibrillation to sinus rhythm.	450
M. Gashi, E.P. Pillana, D.K. Kocinaj (Prishtina - UNJ)	
Atrial fibrillation and the management of adverse events linked to antiarrhythmic drugs in Spain.	451
J. Hoyo, L. Benito, B. Fornes, A. Montroig, G. Fluxa, B. Coll-Vinent, L. Mont (Barcelona - ES)	
Homocysteine levels in patients with atrial fibrillation after successful electrical cardioversion.	452
F. Najj, V. Nedog, D. Vokac, D. Suran, V. Kanic, S. Granda, M. Sabovic (Maribor, Ljubljana - SI)	
 <b>Atrial fibrillation and pacing.</b>	
Prevention of atrial fibrillation recurrence by atrial pacing preference algorithm in DDDRP devices.	454
A. Thomaidi, D.N. Tziakas, G. Chalikias, D. Stakos, S. Manousakis, H. Boudoulas (Alexandroupolis, Athens - GR)	
Ventricular Rate Stabilisation in patients with permanent atrial fibrillation implanted with a single-chamber ventricular pacemaker. The RARE-PEARL Study.	455
E. Occhetta, G. Mazzocca, C. Svetlich, P. Scipione, A. Fabiani, M. Giammaria, S. Orazi, G. Corbucci (Novara, Livorno, Lido Di Camaiore, Ancona, Arezzo, Torino, Rieti, Milan - IT)	
Prevention of atrial fibrillation in patients with sinus node dysfunction, normal atrioventricular conduction and a pacemaker: atrial pacing vs atrial pacing plus sotalol.	456
P. Flevari, D. Leftheriotis, D. Katsaras, S. Lagou, V. Souridis, D. Kremastinos (Athens - GR)	
Left atrial stimulation (LAS) versus right atrial stimulation (RAS) for paroxysmal atrial fibrillation (PAF) in sick sinus syndrome (SSS). Atrial stimulation from the coronary sinus in PAF (ACSIPAF).	457
P.N. Breuls, E. Zock, H. Schmidt, J.C.J. Res (Dordrecht, Rotterdam - NL)	
Minimising ventricular pacing and atrial fibrillation in the elderly.	458
F. Vetta, S. Ronzoni, L. Zuccaro, G. Gentile, M. Costarella, C. Donadio, M. Magnanti, S.M. Zuccaro (Rome - IT)	
Use of an Atrial Lead with very short Tip-to-Ring Spacing avoids Oversensing of Far-Field-R-Wave.	459
C. Kolb, G. Noelker, U. Lotze, H. Jetter, K. Puerner, K. Lang, L. Binner, V. Schibgilla (Munich, Coburg, Naumburg, Memmingen, Ebersberg, Ottweiler, Ulm, Ebermannstadt - DE)	
Detection of atrial high rate episode does not systematically mean detection of atrial tachyarrhythmia.	460
R. Kohno, H. Abe, T. Nagatomo, Y. Otsuji (Kitakyushu - JP)	

**New tools for ablation.**

- Comparison of registration accuracy in CT-fluoro fusion with 3D electroanatomic mapping using CT-merge. 462  
 D. Krum, J. Hare, A. Delavelle, E. Soubelet, R. Vaillant, B. Belanger, I. Choudhuri, J. Sra (Milwaukee, Waukesha - US, Buc - FR)
- Impulse propagation into the Koch triangle in patients with and without AV nodal tachycardia. 463  
 C. Pandozi, S. Dottori, S. Ficili, M. Galeazzi, C. Lavalle, A. Pandozi, M. Russo, M. Santini (Rome - IT)
- First in vivo application of a novel cryoablation catheter for elongated left atrial circumferential lesions. 464  
 T. Berger, D. Pehboeck, M. Stuehlinger, W. Dichtl, R. Silye (Innsbruck, Linz - AT)
- Pacing rate-dependent and site-specific conduction block at the sinus venosa region evaluated by non-contact mapping system in patients with typical atrial flutter. 465  
 M. Takami, A. Yoshida, K. Fukuzawa, K. Takami, H. Kumagai, S. Tanaka, M. Itoh, K. Hirata (Kobe - JP)
- Right ventricle histological findings and electroanatomical mapping in patients with Brugada syndrome inducible at the EP study. 466  
 S. Ficili, C. Pandozi, M. Galeazzi, M. Russo, C. Lavalle, C. Bernardi, F. Amati, M. Santini (Rome - IT)
- Recognition of dislocated fast-pathway by three-dimensional electro-anatomical mapping. 467  
 S. Tanaka, A. Yoshida, K. Fukuzawa, K. Takami, H. Kumagai, M. Takami, M. Itoh, K. Hirata (Kobe - JP)
- Cryoablation of typical atrial flutter using a 10-mm tip electrode is effective even with reduced application duration. 468  
 R. De Ponti, R. Marazzi, L. De Luca, V. De Sanctis, F. Caravati, L. Panchetti, J.A. Salerno-Uriarte (Varese - IT)
- Initial experience with an alternative mapping system for ablation of atrial arrhythmias. 469  
 A. Luijk, R. Wondraschek, M. Merkel, C. Schmitt (Karlsruhe - DE)
- Three-dimensional computed tomography rendering of left atrial-pulmonary veins: anatomic variants prior to atrial fibrillation ablation. 470  
 R. Marazzi, R. De Ponti, D. Lumia, L. Lunardi, V. Cremona, C. Fugazzola, J.A. Salerno-Uriarte (Varese - IT)
- Integration of MR images to guide left ventricular substrate mapping: feasibility and clinical applicability in humans. 471  
 C. Pandozi, S. Dottori, S. Ficili, M. Galeazzi, C. Lavalle, M. Russo, G.S. Camastra, M. Santini (Rome - IT)

The following ten abstracts were chosen for their outstanding quality and will be discussed in a special area in the poster hall during the Moderated Poster Session chaired by the two chairpersons mentioned below between 15:30 and 16:30.

## Cardiac resynchronisation therapy

**Chairpersons: To be announced**

- SonR signal to track variations in heart failure status of CRT patients.** 472  
 F. Anselme, L. Padeletti, K. Goscinska-Bis, M. Wintherhalter, F. Renesto, P. Ritter  
 (Rouen - FR, Florence - IT, Katowice - PL, Berlin - DE, Saluggia - IT, Bordeaux - FR)
- Intracardiac impedance for optimisation of cardiac resynchronisation therapy.** 473  
 M. Bocchiardo, P. Schauerte, D. Meyer Zu Vilsendorf, C. Militello, M. Lippert, G. Czygan,  
 F. Gaita, CH. Stellbrink (Asti - IT, Aachen, Bielefeld, Erlangen - DE)
- AV optimisation acutely improves atrial transport in patients with restrictive filling patterns.** 474  
 C. Perzanowski, P. Zilo (Fayetteville, Ft. Lauderdale - US)
- Post-processing Of 2D-Deformation analysis with a computed algorithm allows quantification of left ventricular asynchrony throughout the whole cardiac cycle.** 475  
 E. Silva, M. Sitges, V. Delgado, D. Tamborero, B. Vidal, M.A. Godoy, L. Mont, J. Brugada  
 (Barcelona - ES)
- Pressure-volume loop analysis is feasible via intracardiac impedance measurements using LV pacing leads.** 476  
 M. Vollkron, M. Lippert, D. Muessig, M.V. Orlov (Erlangen - DE, Lake Oswego, Boston - US)
- Role of myocardial fibrosis and left ventricular diameter in predicting reverse remodelling induced by cardiac resynchronisation therapy.** 477  
 A. Di Cori, G. Zucchelli, L. Segreti, E. Soldati, F. Bandera, G. Solarino, R. De Lucia,  
 M.G. Bongiorno (Pisa - IT)
- Correlation between electrical activation and mechanical contraction sequences: electroanatomical mapping and 3D echocardiographic studies.** 478  
 E. Silva, D. Tamborero, M. Sitges, D. Andreu, B. Vidal, A. Berruezo, L. Mont, J. Brugada  
 (Barcelona - ES)
- Endocardial CRT improves resynchronisation and LV pump function in canine hearts with chronic infarction and LBBB.** 479  
 L. Rademakers, A. Van Hunnik, A. Lampert, M. Kuiper, A. Auricchio, D. Echt, J. Maessen,  
 F. Prinzen (Maastricht - NL, Lugano - CH, Sunny Vale - US)
- Intraoperative electrical parameters in patients undergoing cardiac resynchronisation therapy: can we identify effective pacing sites at implant?** 480  
 G. Zucchelli, E. Soldati, L. Segreti, A. Di Cori, G. Coluccia, R. De Lucia, G. Solarino,  
 M.G. Bongiorno (Pisa - IT)
- Transvenous femoral ICD and biventricular device implantation.** 481  
 S. Johar, D.G. Jones, J.C. Lyne, R.A. Kaba, J. Till, J.R. Clague (London - GB)

Posters must be set up between 13:30 and 14:00, removed between 18:00 and 18:30 and be on display between 14:00 and 18:00. The presenter should be present throughout the coffee break (15:30 - 16:30) in order to discuss the poster.

## Primary prevention.

**Microvolt T wave alternans in stratification of sudden cardiac death risk in patients with left ventricular dysfunction.** 482

P. Lokaj, L. Krivan, M. Kozak, M. Sepsi, P. Trcka, J. Vlasinova, J. Spinar (Brno - CZ)

**Predictors of appropriate ICD therapy in patients with non-ischaeamic cardiomyopathy.** 483

A. Ferraro, R. Rordorf, C. Belvito, A. Vicentini, S. Savastano, B. Petracci, A. Sanzo, M. Landolina (Rivoli, Pavia - IT)

**Comparative mortality in ICD patients with ejection fraction  $\leq$  30% versus 31-35%.** 484

S. Greenberg, D. Goldman, T. Deering, A. Epstein, J. Burke, Y. Dalal (Roslyn, Delray Beach, Atlanta, Birmingham, Sylmar - US)

**Tachyarrhythmia therapy utilisation in 132 primary prevention patients at a single center.** 485

J. Hurley, B. Robinson, C. Melton, M. Patel, J. Saporito, S. Charlton, J.J. Sims (Texarkana, Moundsview - US)

**Long term follow-up of ICD therapy as bridge to heart transplantation.** 486

L. Van Casteren, H. Heidbuchel, T. Rossenbacker, R. Gopal, J. Vanhaecke, J. Van Cleemput, W. Droogne, R. Willems (Leuven - BE)

**Implantable cardioverter-defibrillators and prevention of sudden cardiac death in hypertrophic cardiomyopathy.** 487

S. Rocha Costa, J. Silva, S. Almeida, K. Reis Santos, D. Cavaco, F. Morgado, P. Adragao, A. Silva (Lisbon - PT)

**Amino-terminal pro-brain natriuretic peptide predicts ventricular arrhythmogenesis in patients with dilated cardiomyopathy and implantable cardioverter-defibrillators.** 488

E.M. Kanoupakis, H.E. Mavrakis, E.M. Kallergis, E.P. Koutalas, I.G. Saloustros, M. Milathianaki, E.G. Manios, P.E. Vardas (Heraklion - GR)

**New implantable defibrillator (InnerPulse PICD): evaluation of defibrillation waveforms with novel electrode system.** 489

M. Richey, R.A. Malkin, S.C. Masson, T. Ransbury, M. Urtz, R.E. Ideker, W.E. Sanders (Research Triangle Park NC, Durham NC, Birmingham, Chapel Hill NC - US)

**Time dependent benefit of ICDs in ischaemic cardiomyopathy.** 490

S. Greenberg, T. Deering, D. Goldman, A. Epstein, J. Burke, Y. Dalal (Roslyn, Atlanta, Delray Beach, Birmingham, Sylmar - US)

**Modifications of the results of programmed ventricular stimulation in patients with syncope and history of myocardial infarction.** 491

B. Brembilla-Perrot, B. Azman, A. Terrier De La Chaise, H. Blangy, N. Sadoul, O. Claudon, P. Louis, O. Selton (Vandoeuvre les Nancy - FR)

**Cost-effectiveness of implantable cardiac defibrillators in primary prevention in Sweden.** 492

F. Braunschweig, M. Ekman, M. Maschio, C. Linde, M.R. Cowie (Stockholm - SE, Burlington - CA, London - GB)

**Car Driving is Safe for Patients Implanted with an ICD.** 493

C. Pignalberi, C. Lavalle, L. Morichelli, A. Porfili, L. Quarta, A. Sassi, R.P. Ricci, M. Santini (Rome - IT)

# Monday 22 June 2009 - Afternoon Posters

14:00 - 18:00

POSTER SESSION II

POSTER AREA

<p>The influence of clinical conditions and co-morbidities on hospitalisation and mortality rates in patients undergoing ICD or CRT-D implantation.</p>	<p>494</p>
<p>T.F. Deering, D.S. Goldman, S. Greenberg, A. Epstein, M. Gupta (Atlanta, Delray Beach, Roslyn, Birmingham, Sylmar - US)</p>	
<p>Criteria for ICD implantation: comparison of therapy delivery in relation to compliance with national and international guidelines.</p>	<p>495</p>
<p>S.A. Gall, N.F. Kelland, M. Tynan, S.W. Lord, C.J. Plummer, J.M. McComb (Newcastle-upon-Tyne - GB)</p>	
<p>Appropriate shock is an independent predictor of all cause mortality in a non selected ICD population.</p>	<p>496</p>
<p>F. Treguer, P. Mabo, A. Tassin, F. Prunier, A. Furber, J.C. Daubert, C. Leclercq, J.M. Dupuis (Angers, Rennes - FR)</p>	
<p>Prediction of life-threatening ventricular tachyarrhythmias in patients with previous myocardial infarction by left ventricular longitudinal strain analysis.</p>	<p>497</p>
<p>M. Bertini, A.C.T. Ng, C.J.W. Borleffs, V. Delgado, G. Boriani, D.Y. Leung, M.J. Schalij, J.J. Bax (Leiden - NL, Bologna - IT, Sydney - AU)</p>	
<p>Impact of implantable cardioverter defibrillator for primary prevention in patients undergoing cardiac resynchronisation therapy.</p>	<p>498</p>
<p>F. Cabrera Bueno, J. Alzueta, J. Pena-Hernandez, M.J. Molina-Mora, J. Fernandez-Pastor, A. Barrera, E. De Teresa (Malaga - ES)</p>	
<p>Long-term overall survival of routine implantable cardioverter/defibrillator recipients is significantly impaired with concomitant diuretics and improved with aldosterone antagonists.</p>	<p>499</p>
<p>M. Stockburger, A. Krebs, M. Rauchhaus, O. Celebi, A. Nitardy, D. Habedank, T. Knaus, R. Dietz (Berlin - DE)</p>	
<p>Event notifications by remote monitoring systems performing automatic daily checks: load, characteristics and clinical utility.</p>	<p>500</p>
<p>N. Varma, A. Epstein, A. Irimpen, L. Gibson, C. Love (Cleveland, Birmingham, New Orleans, Lake Oswego, Columbus - US)</p>	
<p>Remote follow-up for ICD-therapy in patients meeting MADIT II criteria - The REFORM trial.</p>	<p>501</p>
<p>G. Hindricks, C. Elsner, J. Geller, J. Kautzner, H.B. Moertel, C. Piorkowski, B. Schumacher, M. Taborsky (Leipzig, Bad Berka - DE, Prague - CZ, Erlangen, Bad Neustadt - DE)</p>	
<p>African Americans with heart failure: racial differences in ICD therapies and inflammatory and oxidative stress markers.</p>	<p>502</p>
<p>R. Vest, R. Blanco, R. Valadri, I. Shukrullah, B. London, S. Dudley, M. Zafari, H. Bloom (Atlanta, Chicago, Pittsburgh - US)</p>	
<p>Implantable cardioverter-defibrillators for primary and secondary prevention in patients with noncompaction cardiomyopathy.</p>	<p>503</p>
<p>K. Caliskan, D.F. Theuns, Y.M. Hoedemakers, F.J. Ten Cate, L. Jordaens, T. Szili Torok (Rotterdam - NL)</p>	
<p>Very low incidence of arrhythmias in primary prevention patients recipient defibrillators for replacement of exhausted impulse generators.</p>	<p>504</p>
<p>F. Biscione, A. Di Grazia, L. Pandolfo, A. Porzio (Rome, Catania - IT)</p>	

# Monday 22 June 2009 - Afternoon Posters

14:00 - 18:00

POSTER SESSION II

POSTER AREA

- History of atrial fibrillation and male gender are independent predictors of ventricular arrhythmia episodes in patients with ICDs for primary prophylaxis. 505  
 T. Deneke, B. Lemke, M. Horlitz, J. Reinecke, T. Lawo, A. Muegge, P. Grewe (Cologne, Bochum - DE)
- Occurrence of ventricular arrhythmias in ischaemic primary prevention ICD recipients: incidence and risk stratification during long-term follow-up. 506  
 C.J.W. Borleffs, J.B. Van Rees, G.H. Van Welsesnes, R.J. Van Bommel, E.T. Van Der Velde, L. Van Erven, J.J. Bax, M.J. Schalij (Leiden - NL)
- Clinical predictors of early mortality among patients receiving implantable cardioverter-defibrillators. 507  
 S. Bhavnani, C. Coleman, D. Guertin, C.M. White, R. Yarlagadda, C. Clyne, J. Kluger (Hartford - US)
- Results (pacing), indications (pacing).**
- Atrial resynchronisation therapy can be used to treat paroxysmal atrial fibrillation in the modern treatment era in patients with prolonged inter-atrial conduction. 508  
 R. Sankaranarayanan, M.A. James, S. Burtchaell, R. Holloway (Blackpool, Taunton - GB)
- Differentiation of parahisian pacing from selective right ventricular septal capture by the paced ventricular activation time. 509  
 R.H. Hoyt, B. Mchenry, M.M. Fedewa (Des Moines, Minneapolis - US)
- Efficacy and safety of occluding pace maker operative site with a transparent film and washing with povidone iodine. Results of a prospective monocentric follow-up study. 510  
 J.P. Penot, C. Jacquot, J.F. Bonet, H. Pochet, S. Jean, R. Fressonnet, M.P. Penot, A. Weiss (Royan - FR)
- Heart failure in patients with long term right ventricle pacing: benefits from upgrade to biventricular pacing therapy. 511  
 J.A. Abecasis, S. Leal, J. Monge, S. Fartouce, J.M. Santos, A. Silva (Lisbon - PT)
- Effects of chronic right ventricular pacing on left ventricular function and activation in patients with acquired atrioventricular block. 512  
 R. Costa, M.I.P. Leao, R.F. Mori, G. Giannini, S.P.L. Costa, K.R. Silva, I.M. Penteado (Sao Paulo - BR)
- Benefit of cardiac resynchronisation therapy in patients with intraventricular conduction delay, single centre over 1-year follow-up experience. 513  
 P. Palka, A. Lange, J.E. Donnelly, M. Adsett, J.R. Hayes, W.J. Stafford (Brisbane - AU)
- A comparison of the acute phase cardiac function among right ventricular apical pacing, mid-ventricular-tract and outflow-tract of right ventricular septal pacing in individual patients. 514  
 Y. Hirayama, Y. Kawamura, N. Sato, T. Saito, D. Hotta, K. Kikuchi, K. Ohori, N. Hasebe (Sapporo, Asahikawa - JP)
- Paced QRS duration predicts clinical outcome in cardiac resynchronisation therapy. 515  
 F. Cabrera Bueno, J. Alzueta, J. Fernandez-Pastor, J.L. Pena-Hernandez, M.J. Molina-Mora, A. Barrera, E. De Teresa (Malaga - ES)
- Wenckebach point is a good predictor of stable AV conduction in AAI pacemaker patients. 516  
 F. Ayala Paredes, J.F. Roux, F. Scuzzuso, L. Lavallee, M. Poirier, J. Chaumont (Sherbrooke - CA)

Improvement in LV output due to elimination of LV dyssynchrony by pacing with fusion into RV septum in patients with trifascicular block and normal LV systolic function. C. Iorgulescu, A. Vasile, M. Dorobantu, R.-G. Vatasescu (Bucharest - RO)	517
Septal versus apical ventricular lead position: long-term follow-up of echocardiographic parameters in patients with preserved left ventricular function. K. Lefflerova, P. Lupinek, J. Bytesnik, R. Cihak, R. Krausova, V. Vancura, J. Kautzner (Prague - CZ)	518
Long term outcomes of VDD mode pacing in patients with atrioventricular block. M. Blich, M. Suleiman, T. Zeidan Shwiri, I. Marai, M. Boulos, S. Amikam (Haifa - IL)	519
Global mechanical synchronism in patients submitted to permanent right interventricular septum pacing: a strain study. A. Lilli, M. Magnacca, C. Svetlich, S. D'addario, M.T. Baratto, A. Ghidini Ottonelli, K. Savino, G. Casolo (Lido Di Camaiore, Perugia - IT)	520
Reversed left ventricular systolic contraction sequence during right Ventricular pacing: Assessment using real-time three-dimensional echocardiography. T. Wolber, C. On, C. Binggeli, J. Holzmeister, C. Brunckhorst, F. Duru (Zurich - CH)	521

## CRT: techniques and imaging.

A comparison of the haemodynamic benefit of atrioventricular and ventricular-ventricular biventricular pacemaker optimisation. R.P. Beynon, R.A. Argyle, R. Aghamohammadzadeh, K.A. Pearce, S.G. Ray, N.C. Davidson (Manchester - GB)	522
A comparison of echocardiography and thoracic impedance for biventricular pacemaker optimisation. R.P. Beynon, R.A. Argyle, R. Aghamohammadzadeh, K.A. Pearce, S.G. Ray, N.C. Davidson (Manchester - GB)	523
Targeted left ventricular endocardial pacing using a steerable introducing guide catheter and active fixation pacing lead. P.A. Scott, N.G. Turner, A.M. Yue, P.R. Roberts, J.M. Morgan (Southampton - GB)	524
Left Pre-Ejection Interval (LPEI) sensitivity to lead position and number in CRT optimisation. A. Duparc, N. Delarche, G. Froehlig, J. Brachmann, P. Mondoly, F. Ziglio, S. Cazeau (Toulouse, Pau - FR, Homburg / Saar, Coburg - DE, Saluggia - IT, Paris - FR)	525
Post-implant CRT optimisation using stroke distance can convert non-responders to responders. D. Thomas, A.G. Fraser, A. Penny, Z.R. Yousef (Cardiff - GB)	526
Relation between left ventricular twist and mechanical dyssynchrony in heart failure patients candidates to cardiac resynchronisation therapy. A. Ciarka, M. Bertini, V. Delgado, R.J. Van Bommel, C.J.W. Borleffs, N. Van De Veire, M.J. Schalij, J.J. Bax (Leiden - NL)	527
Determinants of long-term outcome after cardiac resynchronisation therapy in ischaemic heart failure patients. V. Delgado, R.J. Van Bommel, M. Bertini, N. Ajmone Marsan, C.J.W. Borleffs, G. Nucifora, M.J. Schalij, J.J. Bax (Leiden - NL)	528
Electrophysiologic multipolar EP catheter mapping is not necessary to achieve successful permanent His bundle pacing. P. Dabrowski, A. Kleinrok (Zamosc - PL)	529

# Monday 22 June 2009 - Afternoon Posters

14:00 - 18:00

POSTER SESSION II

POSTER AREA

- Intra- and interobserver variability of QRS duration measurements. 530  
 P. Bordachar, M. De Guillebon, J.B. Thambo, S. Ploux, A. Deplagne, P. Ritter, M. Haissaguerre, J. Clementy (Pessac - FR)
- A clever use of preshaped left ventricular pacing lead reduces the need for inner catheter. 531  
 Q. Parisi, L. Messano, M. Santamaria, G. Angeloni, F. Alessandrini (Campobasso - IT)
- An investigation into the change in optimal atrioventricular delay with increasing heart rate during biventricular pacing. 532  
 R.P. Beynon, R.A. Argyle, R. Aghamohammadzadeh, K.A. Pearce, S.G. Ray, N.C. Davidson (Manchester - GB)
- Thebesian valve - an obstacle on the tract of left ventricle lead. 533  
 R. Mlynarski, A. Wlodyka, W. Kargul, M. Sosnowski (Katowice - PL)
- Quantification of 3D dynamic placement of coronary sinus lead in cardiac resynchronisation therapy: a preliminary study. 534  
 C. Tomasi, R. Mosconi, C. Corsi, S. Severi, F. Veronesi, V. Ricci, R. Pepoli, M. Margheri (Ravenna, Cesena, Sesto S.Giovanni, Milan - IT)
- Effects of left ventricular pacing outputs on optimal inter-ventricular timing. 535  
 S. Greenberg, M. Gupta, J. Burke (Roslyn, Sylmar - US)
- Comparison of AV and VV optimisation of CRT patients with a new vector ECG related algorithm versus echocardiography. 536  
 M. Seifert, T. Schau, W. Koglek, M. Neuss, J. Meyhoefer, C. Butter (Bernau bei Berlin, Klagenfurt - AT)
- Cardiac autonomic amelioration after CRT is proportional to the degree of left bundle branch block in patients affected by heart failure. 537  
 A. Curcio, G.L. Cascini, S. Cipullo, A. Restuccia, G. Santaripa, A. Cuko, A. Leone, C. Indolfi (Catanzaro - IT)
- Intraprocedural three dimensional reconstruction of the coronary sinus improves left ventricular lead. 538  
 K. Gutleben, G.N. Noelker, H.M. Marschang, M.S. Schmidt, G.R. Ritscher, C.R. Rohkohl, J.B. Brachmann, A.M.S. Sinha (Coburg, Bad Oeynhausen, Erlangen - DE)
- Feasibility of sensing inter-atrial conduction delay from left ventricular lead for potential applications of patient monitoring and IEGM-suggested AV delays. 539  
 X. Min, H. Hellman, C. Lall, S. Rosenberg (Sylmar - US)
- Prediction of acute haemodynamic response to left ventricular pacing using tagged cardiac magnetic resonance. 540  
 M. Ginks, P. Chinchapatnam, S. Hamid, S. Sinclair, J. Totman, G. Carr-White, R. Razavi, C.A. Rinaldi (London - GB)
- Usefulness of ECG and EGM to predict the clinical response after CRT implantation. 541  
 A. Sztaniszlav, O. Przibille, B. Nowak, B. Schulte-Hahn (Zalaegerszeg - HU, Frankfurt am Main - DE)
- Optimisation of pacing settings at multiple left ventricular pacing sites: influence on acute haemodynamics and on determination of the optimal pacing site in cardiac resynchronisation therapy. 542  
 M.D. Bogaard, P.A. Doevendans, H. Van Wessel, R.N. Hauer, M. Meine (Utrecht - NL)

Feasibility of simultaneous assessment of electrical and mechanical delay during cardiac resynchronisation therapy implant with 3-D cardiac mapping system. 543  
 K. Ryu, A. D'ávila, E.K. Heist, J. Chou, S. Rosenberg, M. Yang, J.P. Singh (Sylmar, Miami, Boston - US)

### Secondary prevention.

Importance of implantable cardioverter defibrillators in idiopathic ventricular tachyarrhythmias. 544

J. Delgado Silva, R. Gomes, S. Almeida, K. Reis Santos, D. Cavaco, F. Bello Morgado, P. Adragao, A. Silva (Lisbon - PT)

Predictors of electric storm in secondary prevention ICD patients after myocardial infarction. 545  
 W. Kwasniewski, A. Filipceki, W. Orszulak, D. Urbanczyk, K. Szydlo, M. Trusz-Gluza (Katowice - PL)

Implantable cardioverter defibrillators: comparative analysis of the incidence of arrhythmic events in different etiologies. 546

J. Delgado Silva, S. Almeida, S. Rocha, K. Reis Santos, D. Cavaco, F. Bello Morgado, P. Adragao, A. Silva (Lisbon - PT)

Short-term outcomes of out-of-hospital cardiac arrest after successful resuscitation. 547  
 B. Aldhoon, J. Kettner, M. Cihlova, J. Kohoutek, M. Wiendl, V. Melenovsky, J. Kautzner (Prague - CZ)

### Pacing leads.

More frequent achievement of a desirable pacing site and enhanced clinical benefit from resynchronisation therapy with a small dual electrode left ventricular lead. 548  
 DV. Exner, BL. Ramza (Calgary - CA, Kansas City - US)

Mutual abrasions intracardiac leads - important finding among explanted leads. 549  
 A. Kutarski, B. Malecka, A. Zabek (Lublin, Krakow - PL)

Partial atrial standstill: clinical and electrophysiological correlation. 550  
 A. Goncalves, R. Lopes, A. Sousa, F. Medeiros, M.A. Parada, J. Campos, M.J. Maciel (Porto - PT)

Permanently implanted coronary sinus lead extraction - is it more hazardous than conventional PM/ICD lead extraction? 551  
 A. Kutarski, B. Malecka, A. Zabek (Lublin, Krakow - PL)

Pacemaker and implantable cardioverter defibrillator lead extraction with electrosurgical dissection and laser sheaths: an observational study. 552  
 P.A. Scott, W. Chow, E. Ellis, N.G. Turner, J.M. Morgan, P.R. Roberts (Southampton - GB)

Detailed electrical analysis of lead failures in a small scaled right ventricular defibrillator lead. 553  
 Reality of sprint fidelis medical device recalls in a single centre.  
 J. Kreuz, O. Balta, G. Nickenig, L. Lickfett, J. Schwab (Bonn - DE)

Risk factors for thromboembolic complications and venous lesions - A prospective study on pacemaker lead implantation. 554  
 P. Korkeila, P. Mustonen, J. Koistinen, K. Nyman, A. Yitalo, P. Karjalainen, J. Lund, J. Airaksinen (Turku, Helsinki, Pori - FI)

A human acute study of a novel epicardial pacing lead for a non-surgical percutaneous subxiphoid approach. 555  
 P. Jais, V. Reddy, P. Neuzil, A. D'ávila, B. Hallier, P. Ritter, P. Bordachar, M. Haissaguerre (Pessac - FR, Boston - US, Prague - CZ, Sylmar - US)

# Monday 22 June 2009 - Afternoon Posters

14:00 - 18:00

POSTER SESSION II

POSTER AREA

Is excessive lead slack a risk factor of subacute ICD lead perforation? H. Nakajima, O.I. Igawa, M.A. Adachi (Tokyo, Yonago - JP)	556
Proarrhythmic effect of left ventricular epicardial pacing placed via limited lateral thoracotomy in cardiac resynchronisation therapy. P. Marchese, G. Delle Donne, V. Malavasi, E. Casali, G. Modena (Modena - IT)	557
New interventional methods for fixation and repositioning of the coronary sinus lead. L. Geller, S.Z. Szilagyi, E. Zima, L. Molnar, T. Tahin, G. Szucs, A. Roka, B. Merkely (Budapest - HU)	558
Chronically implanted lead extraction: a stepwise approach. G. Gasparini, D. Mangino, A. Rossillo, M. Madalosso, E. Polesel, A. Raviele (Mestre-Venice - IT)	559
Experience with quicksite and quickfex left ventricular leads: results from a large, multicenter registry. K. Toluie, M. Mounir, A. Hedayati, J. Diaz, M. Green, E. Jetton, A. Oza (Beverly Hills, Lafayette, Glendale, Sanford, Springdale, Sylmar - US)	560
Pacing and defibrillator leads transvenous extraction with simple manual traction: a single center experience. P. Scipione, A. Misiani, P. Cecchetti, E. Rita, M. Francioni, S. Molini, A. Capucci (Ancona - IT)	561
Active fixation leads allow successful alternative site pacing. K. Claessens, I. Roose, C. Crocq, G. Mayoux, J. Irigoyen, J.L. Bauple, M. Razani, P. Dubin (Malle - BE, Tartu - EE, Cesson Sévigné, Rodez - FR, Gijon - ES, Chatellerault, Paris - FR, Zaventem - BE)	562
Stable thresholds in otherwise unstable left ventricular lead positions: single- centre experience with an active fixation coronary sinus lead in 69 cases. G. Luedorff, R. Grove, E. Wolff, W. Kranig, J. Thale (Bad Rothenfelde - DE)	563
Feasibility of Direct His-Bundle Pacing without an EP marker to guide the correct placement of the screw lead. F. Zanon, E. Baracca, G. Pastore, S. Aggio, C. Piergentili, L. Conte, A. Bortolazzi, L. Roncon (Rovigo - IT)	564

## External defibrillation.

Clinical predictors of high defibrillation thresholds in patients undergoing cardiac resynchronisation therapy defibrillator implantation. G. Lin, T.L. Webster, R.F. Rea, D.L. Hayes, P.A. Brady (Rochester - US)	565
A novel low tilt waveform for the defibrillation of ventricular arrhythmias during cardiac arrest. K.M. Darragh, G. Manoharan, J.R. Bennett, S.J. Walsh, R. Di Maio, J.D. Allen, J.M.C.C. Anderson, A.A.J. Adgey (Belfast, Jordanstown - GB)	566
Cardiologist's attitudes towards ICD implantation and adherence to national guidelines. P. Sadarmin, K. Wong, J. Debono, J. Paisey, Y. Bashir, K. Rajappan, T.R. Betts (Oxford - GB)	567
Is it safe to assume patients know their alarms? An ICD survey. P. Sadarmin, N. Meldrum, E. Watson, J. Debono, Y. Bashir, K. Rajappan, T.R. Betts (Oxford - GB)	568

**Sudden death and ICD: technical aspects.**

Fracture of implantable cardioverter-defibrillator lead is the first cause of inappropriate shocks in a non selected ICD population.	569
F. Treguer, P. Mabo, A. Tassin, F. Prunier, A. Furber, J.C. Daubert, A. Solnon, J.M. Dupuis (Angers, Rennes - FR)	
Dynamic impedance for arrhythmia discrimination.	570
K. Jarverud, M. Broome, K. Noren, T. Svensson, S. Hjelm, A. Bjorling (Järfälla - SE, Solna - SE)	
Is the time constant of the cardiac cell membrane affected by progression of heart disease?	571
J.E. Val-Mejias, S. Doshi, M. Kroll, A. Oza, S. Shah (Wichita, Santa Monica, Minneapolis, Sylmar - US)	
Do similar T-shock and rescue shock waveforms, when altered, affect ULV based DFT estimations?	572
S.K. Doshi, J.E. Val-Mejias, M. Pittaro, R. Reeves, J. Payne, M. Kroll, R. Graumann, A. Oza (Santa Monica, Wichita, Norwalk, Birmingham, Jackson, Minneapolis, Sylmar - US)	
Changes in T wave morphology prior to onset of ventricular arrhythmias in ICDs.	573
P. Maury, F. Raczka, J.L. Pasquie, L. Beck, J. Taieb, F. Ou, R. Shah, B. Hallier (Toulouse, Montpellier, Nimes, Aix-en-Provence - FR, Sunnyvale - US)	
First experience on minute ventilation signal measurement in ICDs.	574
K. Gutleben, J. Brachmann, J. Vogt, G. Boriani, R. Bowes, C. Casset, F. Krümel (Coburg, Bad Oeynhausen - DE, Bologna - IT, Sheffield - GB, Le Plessis Robinson - FR, Bad Bevensen - DE)	
Driving restrictions during treatment with Implantable Cardioverter Defibrillator - the patient perspective.	575
I. Johansson, F. Blixt, F. Andersson, A. Stromberg (Linköping - SE)	
An unusual cause of inappropriate shock: concealed ventricular ectopy.	576
C. Perzanowski (Fayetteville - US)	
From defibrillation theory to clinical implications.	577
W. Irnich (Giessen - DE)	
Are Failed shocks in ICD patients due to different Ventricular Fibrillation characteristics?	578
P. Larsen, N. Lever (Wellington, Auckland - NZ)	
Predischarge ICD testing in unnecessary in patients with low DFT during ICD implantation.	579
M. Wasniewski, P. Mitkowski, A. Baszko, R. Ochotny, S. Grajek (Poznan - PL)	
ICD trials vs. clinical reality: device selection & programming decisions differ between primary and secondary prevention patients.	580
T.F. Deering, D.S. Golman, A. Epstein, S. Greenberg, M. Gupta, K. Lee (Atlanta, Delray Beach, Birmingham, Roslyn, Sylmar - US)	
Does the implantation of an ICD lead to a work inaptitude in an electrical company?	581
M. Hero, I. Magne, M. Souques (Boulogne-Billancourt, Moret Sur Loing, Paris - FR)	
Intra-thoracic impedance and impedance cardiography for the detection of heart failure deterioration.	582
E. Moro, C. Marcon, G. Allocca, E. Marras, N. Sitta, M. Da Soghe, A. Barbaro, P. Delise (Conegliano Veneto - IT, Milan - IT)	
Preferred correction of the QT interval for heart rate in patients with normal or prolonged repolarisation.	583
I. Chiladakis, A. Kalogeropoulos, N. Koutogiannis, P. Arvanitis, F. Zagli, G. Nikokiris, D. Alexopoulos (Patras - GR)	

## Monday 22 June 2009 - Afternoon Posters

14:00 - 18:00

POSTER SESSION II

POSTER AREA

- Heart rate and heart rate variability obtained from predischARGE Holter recordings in STEMI patients treated with primary PCI with different pattern of STT segment with regard to the age. 584  
K. Szydlo, K. Wita, M. Trusz-Gluza, Z. Tabor (Katowice - PL)
- Impaired heart rate variability in patients with rheumatoid arthritis. 585  
D. Anichkov, N. Shostak, A. Platonova (Moscow - RU)
- Circadian variation of heart rate variability in post myocardial infarction patients with and without intraventricular conduction abnormalities and moderately reduced left ventricular function.  
M. Polovina, T. Potpara, M. Grujic, N. Mujovic (Belgrade - RS)
- Comparison of magnetic navigation by remote control and conventional navigation: concordance of CARTO mapping and multi-slice tomography imaging. 586  
P. Carmo, P. Adragao, D. Cavaco, L. Parreira, K. Santos, F. Morgado, S. Marcelino, A. Silva (Lisbon, Carnaxide - PT) 587
- Incidence and characteristics of ST segment changes shortly after external cardioversion. 588  
P. Rumeau, P. Maury, A. Duparc, A. Hebrard, P. Mondoty, A. Rollin, M. Delay (Toulouse - FR)
- Effects of the Calcium Channel Blocker on the Variability of Heart Rate, Blood Pressure and Baroreflex Sensitivity. 589  
N. Mizutani, T. Yonemoto, M. Fukuta, T. Ito (Aichi - JP)
- The transapical access: an unusual approach for ablation of a left ventricular tachycardia. 590  
C. Herrera Siklody, T. Blum, J. Schiebeling-Roemer, C. Restle, R. Weber, J. Stockinger, D. Kalusche, T. Arentz (Bad Krozingen - DE)
- Septal or apical pacing? A 60-patient-retrospective-study evaluating electrical parameters at 6 and 12 months. 591  
R. Fouche, S. Fromentin, G. Lassabe, C. Sager (Montbéliard - FR)