

CARDIO-ONCOLOGY

Guidelines on cardio-oncology



Essential Messages

2022 ESC Guidelines on cardio-oncology

Developed by the Task Force on cardio-oncology of the European Society of Cardiology (ESC) in collaboration with the European Hematology Association (EHA), the European Society for Therapeutic Radiology and Oncology (ESTRO) and the International Cardio-Oncology Society (IC-OS)

Chairpersons

Alexander R. Lyon

National Heart and Lung Institute Imperial College London and Cardio-Oncology Service, Royal Brompton Hospital London, United Kingdom Email: a.lyon@imperial.ac.uk

Teresa López-Fernández

Cardiology Department La Paz University Hospital IdiPAZ Research Institute Madrid, Spain Email: tlfernandez8@gmail.com

Task Force Members

Liam S. Couch (Task Force Coordinator) (United Kingdom), Riccardo Asteggiano (Italy), Marianne C. Aznar (United Kingdom), Jutta Bergler-Klein (Austria), Giuseppe Boriani (Italy), Daniela Cardinale (Italy), Raul Cordoba (Spain), Bernard Cosyns (Belgium), David J. Cutter (United Kingdom), Evandro de Azambuja (Belgium), Rudolf A. de Boer (Netherlands), Susan F. Dent (United States of America), Dimitrios Farmakis (Cyprus), Sofie A. Gevaert (Belgium), Diana A. Gorog (United Kingdom), Joerg Herrmann (United States of America), Daniel Lenihan (United States of America), Javid Moslehi (United States of America), Brenda Moura (Portugal), Sonja S. Salinger (Serbia), Richard Stephens (United Kingdom), Thomas M. Suter (Switzerland), Sebastian Szmit (Poland), Juan Tamargo (Spain), Paaladinesh Thavendiranathan (Canada), Carlo G. Tocchetti (Italy), Peter van der Meer (Netherlands), Helena J.H. van der Pal (Netherlands).

ESC subspecialty communities having participated in the development of this document

Associations: Association for Acute CardioVascular Care (ACVC), European Association of Cardiovascular Imaging (EACVI), European Association of Preventive Cardiology (EAPC), European Association of Percutaneous Cardiovascular Interventions (EAPCI), European Heart Rhythm Association (EHRA), Heart Failure Association (HFA).

Councils: Council of Cardio-Oncology, Council on Hypertension, Council on Valvular Heart Disease.

Working Groups: Aorta and Peripheral Vascular Diseases, Cardiovascular Pharmacotherapy, e-Cardiology,

Myocardial Function, Pulmonary Circulation and Right Ventricular Function, Thrombosis.

Patient Forum




Table of contents

- Section 1 Key messages
- Section 2 Gaps in evidence

Key messages

This is the first ESC cardio-oncology Guideline and contains 272 new recommendations. The key messages from this guideline are:

- A guiding principle of cardio-oncology is integration, and cardio-oncology providers
 must have knowledge of the broad scope of cardiology, oncology, and haematology.
 Communication between different healthcare professionals is critical to optimize the
 care of patients with cancer and CVD.
- Cardio-oncology programmes facilitate cancer treatment by minimizing unnecessary cancer therapy interruptions and CTR-CVT across the entire continuum of cancer care.
 In patients who develop CTR-CVT, a MDT discussion is required to balance the risk/ benefit of cancer treatment discontinuation.
- There is a new international definition of CTR-CVT.
- CV toxicity risk is a dynamic variable. This guideline is structured to provide a
 personalized approach to care based upon the baseline CV toxicity risk. A baseline CV
 risk assessment is recommended for all patients with cancer scheduled to receive a
 potentially cardiotoxic anticancer therapy. This enables the oncology team to consider
 CV risk while making cancer treatment choices, educating patients regarding their CV
 risk, and personalizing CV surveillance and follow-up strategy.
- Primary prevention of CV toxicity from cancer therapy aims to avoid or minimize the development of CTR-CVT in patients without CVD.
- Secondary prevention refers to interventions in patients with pre-existing CVD, including prior or new CTR-CVT. A MDT is recommended when patients with cancer have complex CVD that may impact on their cancer treatment.
- Defining and delivering an appropriate prevention and surveillance plan for potential CV complications is recommended. Optimal management of CVRF and pre-existing CVD is mandatory to facilitate cancer therapy and to improve patients' prognosis.
- Detailed monitoring pathways during cancer therapy including 3D echocardiography,
 GLS, and cardiac biomarkers are provided to detect CV toxicity based upon specific cancer therapies and baseline CV toxicity risk.
- Treatment recommendations for CTRCD during and after cancer therapy depend upon CTRCD severity and symptoms. New guidance on continuing trastuzumab in BC patients who develop asymptomatic moderate CTRCD (LVEF 40-49%) whilst starting cardioprotective medication is provided.

Key messages

- Use of a structured algorithm to guide decisions regarding anticoagulation management in patients with cancer presenting with AF or VTE encompassing the TBIP assessment is encouraged.
- After cancer treatment is completed, the focus of the cardio-oncology team shifts to
 coordination of long-term follow-up. This starts with an 'end-of-treatment' assessment
 in the first year after treatment, reviewing patients with cancer who have received
 cardiotoxic anticancer therapies to re-assess their CV toxicity risk and guide long-term
 surveillance planning.
- A new algorithm is provided to guide weaning off of CV medication in CS.
- Patients with cancer, CS, and the patient's family/carers should receive guidance to
 promote healthy lifestyle and recognize and report signs and symptoms of CVD, to
 receive prompt and effective treatment, without interfering with their cancer treatment.
- Patients must receive psychological support when needed and clear and accurate information about their condition to play an active role in managing their treatment and increase adherence to cancer and CV treatments.

Gaps in evidence

Cancer and CVD are the two major public health problems with great economic and social impact. In addition, CTR-CVT are associated with an excess of both CV and oncological mortality, especially when they limit patients' ability to complete effective treatments. However, the intersection of cancer and CVD has only recently gained wider interest and many areas with lack of evidence need to be addressed in future research.

Role of cardio-oncology services and cardio-oncology care networks

- Robust evidence on the impact of dedicated cardio-oncology programmes and cardio-oncology rehabilitation on the prognosis of patients with cancer and survivors.
- Specification of roles of different healthcare professionals (including nurses and pharmacists) in cardio-oncology teams.
- Cardio-oncology care networks to improve the management of patients with cancer and to discuss difficult cases.
- Cardio-oncology team support and involvement in oncology trials design (including patients' representatives).
- Understand how to engage patients with cancer in their own CV care (inclusion of digital tools).

Research, education, and training in cardio-oncology

- Consensus about CV toxicity definitions used in oncology trials.
- Define standards for CV toxicity monitoring in oncology trials to avoid unexpected CV toxicities when new drugs are approved for clinical use.
- Relevant model systems to allow high-throughput screening of new cancer treatments for CV toxicity.
- Improved knowledge on CV toxicity mechanisms of new targeted cancer therapies and ICI and optimal treatment of CV toxicities.
- Improved knowledge on the effects of radiation to specific cardiac substructures and the interactions between cardiotoxic systemic therapy and RT.
- Further research into the underlying mechanisms that connect CVD and cancer, such as a genetic predisposition to CV toxicity.
- Personalized medicine and use of big data and artificial intelligence tools.

Gaps in evidence

Cardiovascular toxicity risk stratification

- Development of CV toxicity risk prediction tools including both treatment- and patientrelated risk factors.
- Validated prospective CV toxicity risk scores based on clinical outcomes.
- Further research on the role of genetics in CV toxicity risk stratification.
- Validation of CPET parameters for CV outcomes in patients with cancer.

Prevention, diagnosis, and management of CTR-CVT

- Raise awareness of the benefits of minimizing CV risk in patients with cancer in order to reduce the risk of CTR-CVT.
- More data on new technologies (biomarkers, advanced echocardiography, CMR, etc.) and genetic profiles for the detection of early CV toxicity.
- Prospective studies showing the impact on outcomes and/or quality of life (and frailty)
 of early CTR-CVT diagnosis and treatment.
- Further evidence from prospective RCTs to define when cardioprotective medications improve patients' outcomes.
- Further research on the potential for aerobic exercise to reduce CTR-CVT.
- RCTs of (new) CV therapies in patients with different types of CTR-CVT.

Long-term cancer survivorship programmes

- Development of optimal CV follow-up programmes after treatment for cancer (research on risk stratification, efficacy, and frequency of screening protocols).
- Best screening strategies for RT-induced CAD.
- Further research on CV preventive strategies for long-term CS.



Download the ESC Pocket Guidelines App

ESC clinical practice recommendations Anytime. Anywhere





- All ESC Pocket Guidelines
 - Over 140 interactive tools
 - > Algorithms
 - > Calculators
- > Charts & Scores
- Summary Cards & Essential Messages
- Online & Offline







The material was adapted from the 2022 ESC Guidelines on cardio-oncology (European Heart Journal; 2022 - doi: 10.1093/eurheartj/ehac244).

Post-publication corrections and updates are availableat www.escardio.org/guidelines

Copyright © European Society of Cardiology 2022 - All Rights Reserved.

The content of these European Society of Cardiology (ESC) Pocket Guidelines has been published for personal and educational use only. No commercial use is authorized. No part of the ESC Pocket Guidelines may be translated or reproduced in any form without written permission from the ESC. Permission can be obtained upon submission of a written request to ESC, Clinical Practice Guidelines Department, Les Templiers - 2035, Route des Colles CS 80179 Biot - 06903 Sophia Antipolis Cedex - France. Email: guidelines@escardio.org

Disclaimer:

The ESC Guidelines represent the views of the ESC and were produced after careful consideration of the scientific and medical knowledge and the evidence available at the time of their publication. The ESC is not responsible in the event of any contradiction, discrepancy and/or ambiguity between the ESC Guidelines and any other official recommendations or guidelines issued by the relevant public health authorities, in particular in relation to good use of healthcare or therapeutic strategies. Health professionals are encouraged to take the ESC Guidelines fully into account when exercising their clinical judgment, as well as in the determination and the implementation of preventive, diagnostic or therapeutic medical strategies; however, the ESC Guidelines do not override, in any way whatsoever, the individual responsibility of health professionals to make appropriate and accurate decisions in consideration of each patient's health condition and in consultation with that patient and, where appropriate and/or necessary, the patient's caregiver. Nor do the ESC Guidelines exempt health professionals from taking into full and careful consideration the relevant official updated recommendations or guidelines issued by the competent public health authorities, in order to manage each patient's case in light of the scientifically accepted data pursuant to their respective ethical and professional obligations. It is also the health professional's responsibility to verify the applicable rules and regulations relating to drugs and medical devices at the time of prescription and to make sure whether a more recent version of this document exists prior to making any clinical decision.



European Society of Cardiology Les Templiers - 2035, Route des Colles CS 80179 Biot 06903 Sophia Antipolis Cedex - France

Phone: +33 (0)4 92 94 76 00 Email: quidelines@escardio.org

www.escardio.org/guidelines