

Curriculum Vitae - Meral Kayıkçiođlu

Meral Kayıkçiođlu

MD, Professor

Ege University, School of Medicine, Department of Cardiology
İzmir TURKIYE

Contact: [email](#)

Mobile Phone: +90-532-4123489



**National CVD Prevention
Coordinator for Turkey**

Short CV

I studied medicine at Ege University School of Medicine (1988-1995) and continued to my cardiology training at the Cardiology Department of the same university.

I am working as a general cardiology consultant at Ege University Medical School. I am running the outpatient lipid clinic since 1996. My research field includes atherosclerosis, premature myocardial infarction, hereditary thrombophilia, cardiovascular involvement in hemodialysis patients, and pulmonary hypertension.

I have been working as a National CVD Prevention Coordinator of Turkey for EACPR since 2009. I am working in the Committee of Guidelines of the Turkish Society of Cardiology (TSC) and the TSC Committee of the Women and Heart Health since 2009. I represented TSC in the **Red Alert on Women's Heart Project** (EuroHeart Project, Work package 6) (2007-2009) and worked as principal and co-investigator in many cardiovascular (CV) prevention projects including Euroaspire III and IV.

Addendum to Meral Kayıkçiođlu's Curriculum Vitae

Publications on CVD Prevention

- Kayıkçiođlu M, Ozerkan F, Soydan I. Effectiveness and safety of alternate-day simvastatin and fenofibrate on mixed hyperlipidemia. *Am J Cardiol.* 1999; 83: 1135-7
- Kayıkçiođlu M, et al. Soluble P-selectin and the success of thrombolysis in acute myocardial infarction. *Int J Cardiol.* 2001; 79: 223-9.
- Kayıkçiođlu M, et al. Early use of pravastatin in patients with acute myocardial infarction undergoing coronary angioplasty. *Acta Cardiol.* 2002; 57: 295-302
- Kayıkçiođlu M, et al. The effect of statin therapy on ventricular late potentials in acute myocardial infarction. *Int J Cardiol.* 2003; 90: 63-72
- Azarsiz E, Kayıkçiođlu M, et al. PON1 activities and oxidative markers of LDL in patients with angiographically proven coronary artery disease. *Int J Cardiol.* 2003; 91: 43-51.
- Kayıkçiođlu M, et al. Benefits of statin treatment in cardiac syndrome-X1. *Eur Heart J.* 2003; 24: 1999-2005
- Danaođlu Z, Kùltùrsay H, Kayıkçiođlu M, et al. Effect of statin therapy added to ACE-inhibitors on blood pressure control and endothelial functions in normolipidemic hypertensive patients. *Anadolu Kardiyol Derg.* 2003; 3: 331-7.
- Kayıkçiođlu M, Aksu K, Hasdemir C, Keser G, Turgan N, Kùltùrsay H, Doganavsargil E. Endothelial functions in Behçet's disease. *Rheumatol Int.* 2006; 26: 304-8
- Yavuzgil O, Altay B, Zoghi M, Gùrgùn C, Kayıkçiođlu M, Kùltùrsay H. Endothelial function in patients with vasculogenic erectile dysfunction. *Int J Cardiol.* 2005; 103: 19-26.
- Briel M, Schwartz GG, Thompson PL, de Lemos JA, Blazing MA, van Es GA, Kayıkçiođlu M, et al. Effects of early treatment with statins on short-term clinical outcomes in acute coronary syndromes: a meta-analysis of randomized controlled trials. *JAMA.* 2006; 295: 2046-56
- Kayıkçiođlu M, et al. Serum paraoxonase 1 activity and oxidative markers of LDL in patients with cardiac syndrome X. *Acta Cardiol.* 2007; 62: 245-9
- Tumuklu MM, Etikan I, Kisacik B, Kayıkçiođlu M. Effect of obesity on left ventricular structure and myocardial systolic function: assessment by tissue Doppler imaging and strain/strain rate imaging. *Echocardiography.* 2007; 24: 802-9.
- Erođlu Z, Selvi N, Kosova B, Biray C, Kumral E, Topçuođlu N, Kayıkçiođlu M. Absence of apolipoprotein B-3500 mutation in Turkish patients with coronary and cerebrovascular atherosclerosis. *Anadolu Kardiyol Derg.* 2008; 8: 7-9
- Mominadam S, Ozkahya M, Kayıkçiođlu M, et al. Interdialytic blood pressure obtained by ambulatory blood pressure measurement and left ventricular structure in hypertensive hemodialysis patients. *Hemodial Int.* 2008; 12: 322-7
- Kayıkçiođlu M, et al. The benefit of salt restriction in the treatment of end-stage renal disease by haemodialysis. *Nephrol Dial Transplant.* 2009; 24: 956-62
- Kayıkçiođlu M, Soydan I. [Egg consumption and cardiovascular health]. *Turk Kardiyol Dern Ars.* 2009; 37: 353-7.
- Ozdogan O, Kayıkçiođlu M, et al. Left atrial volume predicts mortality in low-risk dialysis population on long-term low-salt diet. *Am Heart J.* 2010; 159(6): 1089-94.
- Tokgùzođlu L, Kaya EB, Erol C, Ergene O; EUROASPIRE III Turkey Study Group. [EUROASPIRE III: a comparison between Turkey and Europe]. *Turk Kardiyol*

Dern Ars. 2010; 38: 164-72.

Asci G, Ok E, Savas R, Ozkahya M, Duman S, Toz H, Kayikcioglu M, Branscum AJ, Monier-Faugere MC, Herberth J, Malluche HH. The link between bone and coronary calcifications in CKD-5 patients on haemodialysis. *Nephrol Dial Transplant*. 2011; 26: 1010-5.

Can LH, Kayıkçıođlu M, et al.[Evaluation of hospitalization period and five-year follow-up of patients admitted with acute coronary syndrome following coronary artery bypass graft surgery]. *Turk Kardiyol Dern Ars*. 2010 Sep; 38: 387-92.

Kayıkçıođlu M. [Ischemic heart disease in women]. *Turk Kardiyol Dern Ars*. 2010; 38 Suppl 1: 41-9.

Karaca E, Kayıkçıođlu M, et al. The effect of interleukin-10 gene promoter polymorphisms on early-onset coronary artery disease. *Anadolu Kardiyol Derg*. 2011; 11: 285-9.

Demirci MS, Gungor O, Kircelli F, Carrero JJ, Tatar E, Demirci C, Kayikcioglu M, et al. Impact of mean arterial pressure on progression of arterial stiffness in peritoneal dialysis patients under strict volume control strategy. *Clin Nephrol*. 2012; 77: 105-13.